



**TECHNICAL STANDARDS
FOR
ELECTRONIC SHUFFLERS
(SINGAPORE)**

Version 1.1

With effect from 23 June 2010

Total number of pages: 9 (inclusive of cover page)

Technical Standards for Electronic Shufflers (Singapore)

No part of this document shall be reproduced, in any form or by means, without permission in writing from the Casino Regulatory Authority of Singapore (the “Authority”).

Whilst every effort has been made to ensure that the information contained in this document is accurate as at the date of issue, the Authority makes no warranty or representation whatsoever with regards to the information in this document. The Authority assumes no responsibility or liability for any consequences (financial or otherwise) suffered directly or indirectly by persons who have entered into commercial activities upon reliance on any information in this document.

The information in this document is subject to change from time to time to adapt to the continual development and evolution of the gaming industry in Singapore. The Authority reserves the right to change its policies and to amend, modify or supplement any information in this document.

This document does not in any way bind the Authority to grant any approval for or exemption from any matter for which approval is required under any written law in Singapore.

This document shall not affect any regulatory requirements of any other competent authority in Singapore.

Persons who may be in doubt about how the information in this document may affect them or their commercial activities are advised to seek independent legal advice or any other professional advice they may deem appropriate.

TABLE OF CONTENTS

PREFACE..... 4

1. INTRODUCTION..... 5

1.1 PURPOSE 5

1.2 SCOPE 5

1.3 TERMINOLOGY 5

1.4 DEFINITION OF TERMS 6

1.5 TESTING..... 6

1.6 CONSISTENCY OF INTERPRETATION 6

2. FEATURE REQUIREMENTS..... 7

2.1 EQUIPMENT IDENTIFICATION 7

2.2 BASIC FUNCTIONALITY 7

2.3 EQUIPMENT INTEGRITY 7

2.4 STORAGE MEMORY REQUIREMENTS 7

2.5 CARD CHECKING INTEGRITY 7

2.6 DEALING REQUIREMENTS 8

2.7 DISPLAY REQUIREMENTS 8

2.8 RANDOMNESS REQUIREMENTS 8

2.9 RANDOM NUMBER GENERATOR (RNG)..... 8

Preface

The purpose of this document is to establish the system requirements for the design and operation of shufflers in the gaming industry in Singapore and to guide testing and certification bodies on the areas for technical compliance on the shufflers.

The intent of this document is to ensure the shufflers operate in a manner that is:-

- a. Honest;
- b. Secure;
- c. Reliable; and
- d. Auditable.

It is not the intent of this document to:-

- a. Mandate a single solution or method to realise an objective;
- b. Limit technology application to gaming equipment;
- c. Limit creativity and variety of choice;
- d. Limit any supplier or manufacturer of equipment;
- e. Preclude research and development into new technologies or innovative ideas.

As far as possible, this document specifies what the minimum technical standards for shufflers are instead of how these standards should be met, and does not mandate a particular solution or method as the means to realise these standards.

Casino Regulatory Authority of Singapore (the “Authority”) is the regulatory authority that supervises and regulates the activities of casinos in Singapore. Casino operators are required to be licensed by law and their shufflers must comply with these technical standards as part of their licensing requirements.

Where applicable, the provisions in the Casino Control Act (Cap. 33A) and its subsidiary legislation shall take precedence over these technical standards.

This document would be reviewed on an ongoing basis to take into account the evolution of systems security and development of other casino related technologies that may require technical regulation.

Comments on this document can be forwarded to:

Casino Regulatory Authority of Singapore
Gaming Technology and ICT Systems Division
460 Alexandra Road, #12-01
Singapore 119963
Website: <http://www.cra.gov.sg>

1. INTRODUCTION

1.1 Purpose

- 1.1.1 The purposes of these technical standards are to:-
- a. Create technical standards that would ensure that the operation of shufflers in casinos in Singapore is secure, reliable and auditable;
 - b. Establish the minimum integrity standards for shufflers;
 - c. Construct technical standards that are technology neutral wherever feasible; and
 - d. Construct technical standards that do not specify or approve any particular method or algorithm. The intent being to allow a wide range of methods to be used to conform to these standards as long as the methods are secure, reliable and consistent with the best practices of the day for the relevant technologies.

1.2 Scope

- 1.2.1 The scope of these technical standards covers the minimum standards required in the operation of a shuffler so that security, reliability and integrity of gaming equipment is achieved.
- 1.2.2 In these technical standards, a shuffler is defined as an electronic utility product that has the capability to rearrange the playing cards to completely eradicate any prior pattern(s) introduced to the playing cards.

1.3 Terminology

- 1.3.1 The following terminology used in this document is to be interpreted as follows:-
- a. Shall: The guideline defined is a mandatory requirement, and therefore must be complied with;
 - b. Should: The guideline defined is a recommended requirement. Non-compliance shall be documented and approved by the Authority. Where appropriate, compensating controls shall be implemented; and
 - c. May: The guideline defined is an optional requirement. The implementation of this guideline is determined by the operator's environmental requirements.

Technical Standards for Electronic Shufflers (Singapore)

1.4 Definition of Terms

[This section is intentionally left blank.]

1.5 Testing

- 1.5.1 Testing of the shufflers by recognised testing laboratories shall be aimed at determining compliance with these technical standards. Areas of non-compliance shall be reported in the test/certification report. Where, in the opinion of the testing/certification laboratory, these technical standards are insufficient, inappropriate or not pertinent to the design and operation of the shufflers, the laboratory shall seek direction and further clarification from the Authority before proceeding to testing/certification.

1.6 Consistency of Interpretation

- 1.6.1 The Authority recognises that these technical standards may be subject to different interpretation by manufacturers, casino operators and testing/certification laboratories. As such, any feedback on interpretation of any provision of these technical standards should be directed to the Authority for clarification.

2. FEATURE REQUIREMENTS

2.1 Equipment Identification

2.1.1 The shuffler shall be identifiable, at minimum, with the following information:-

- a. The name of manufacturer;
- b. A unique serial number;
- c. The model number; and
- d. The date of manufacture.

2.2 Basic Functionality

2.2.1 The shuffler shall have the ability to grip the playing cards and shall not leave any marking that may assist, help or otherwise aid any person to predict or project the outcome of a game.

2.2.2 The shuffler shall be secured to preclude the possibility of viewing of cards being shuffled.

2.2.3 During shuffling, the shuffler shall have mechanisms and controls to prevent the tampering of any playing card loaded to the shuffler.

2.3 Equipment Integrity

2.3.1 There shall be mechanisms in place to detect the opening of shuffler during operation, upon which the shuffling and dealing processes shall stop.

2.3.2 Any change in the password access shall be made by authorised personnel.

2.4 Storage Memory Requirements

2.4.1 Programme files, including the RNG algorithm, shall be stored in:-

- a. Non-alterable memory devices;
- b. Memory devices with the implementation of write protection; or
- c. Memory devices with sufficient proprietary controls and mechanisms set in place by manufacturer to restrict modification access.

2.4.2 Every shuffler shall contain a proven and robust mechanism which has the capability to internally authenticate the programme files and/or support files have not been corrupted or altered prior to use or loading. Such mechanism shall prevent further operation of the shuffler if unexpected data or inconsistencies are found.

2.5 Card Checking Integrity

2.5.1 If the shuffler is capable of recognising rank and suit, it shall:-

Technical Standards for Electronic Shufflers (Singapore)

- a. Ensure 99.99% accuracy in its card recognition technology;
 - b. Not provide real time information that can be used to aid in the projecting of the outcome of the game, tracking of the cards played and cards remaining to be played, analyzing the probability of the occurrence of an event relating to the game, or analyzing the strategy for playing or betting to be used in the game; and
 - c. Have Role Based Access Control to restrict access to the history of game(s) played.
- 2.5.2 If the shuffler is capable of card counting, it shall ensure 99.99% accuracy in the counting mechanism.

2.6 Dealing Requirements

- 2.6.1 If the shuffler is capable of hand formation, it shall ensure the correct number of playing cards per hand.

2.7 Display Requirements

- 2.7.1 In the event of error, the shuffler shall cease operation and there shall be an appropriate indicator to notify the casino personnel. If an LCD screen is present, a message describing the type of error shall be displayed.

2.8 Randomness Requirements

- 2.8.1 The shuffler shall be designed to completely eradicate any pattern(s) introduced to the playing cards.
- 2.8.2 If the shuffler has dealing capability, it shall ensure all hands dealt are random.

2.9 Random Number Generator (RNG)

- 2.9.1 The use of a RNG shall result in shuffling outcomes that are proven, via the application of recognised statistical tests, to be:-
- a. Statistically independent;
 - b. Uniformly distributed over their range; and
 - c. Unpredictable.

Technical Standards for Electronic Shufflers (Singapore)

Background RNG Activity Requirement

2.9.2 The RNG shall be cycled continuously between shuffles.

RNG Seeding

2.9.3 The method of seed generation shall ensure that:-

- a. The same sequence of random numbers is never used in more than one shuffler at the same time;
- b. The shuffle is not predictable; and
- c. The seeding and re-seeding shall be randomly determined and shall not be under operator control.

Range Requirement

2.9.4 The range of values produced by the RNG shall be adequate to provide sufficient precision and flexibility required by the mechanical implementation of the shuffler.

Scaling

2.9.5 Numbers generated from the RNG must be scaled down to usable values required by the mechanical implementation of the shuffler, while maintaining the randomness of the number sequence over the new range.